



IP SERVICES



Home IP Services PATENTSCOPE®



Search result: 1 of 1

(WO/2002/014322) PORPHYRIN COMPOUNDS CONSISTING OF PORPHYRIN RINGS FUSED IN A SINGLE DIRECTION BY THREE BONDS, I.E., ONE MESO-MESO CARBON BOND AND TWO \$g(b)-\$g(b) CARBON BONDS AND PROCESS FOR THEIR SYNTHESIS

Biblio. Data Description National Phase Claims **Notices** Documents

Latest bibliographic data on file with the International Bureau

Publication Number: WO/2002/014322

Publication Date: 21.02.2002

International Application No.: PCT/JP2001/006832

International Filing Date: 08.08.2001

Int. Class.: C07D 487/22 (2006.01)

Applicants: JAPAN SCIENCE AND TECHNOLOGY CORPORATION [JP/JP]; 1-8, Hon-cho 4-chome Kawaguchi-shi

Saitama 332-0012 (JP) (AT, BE, CA, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IL, IT, LU, MC, NL, PT,

SE, TR only).

OSUKA, Atsuhiro [JP/JP]; 2-4-6, Oginosato Ohtsu-shi Shiga 529-0246 (JP) (US Only).

Inventor:

Title:

OSUKA, Atsuhiro [JP/JP]; 2-4-6, Oginosato Ohtsu-shi Shiga 529-0246 (JP).

Agent: MIYAMOTO, Harumi; Hougaku Bldg. 7F 19-14, Toranomon 1-chome Minato-ku Tokyo 105-0001 (JP).

Priority Data: 2000-243699 11.08.2000 JP

PORPHYRIN COMPOUNDS CONSISTING OF PORPHYRIN RINGS FUSED IN A SINGLE DIRECTION

BY THREE BONDS, I.E., ONE MESO-MESO CARBON BOND AND TWO \$g(b)-\$g(b) CARBON BONDS AND PROCESS FOR THEIR SYNTHESIS

A porphyrin ring-fusion polymer which consists of two or more Zn?ll¿-porphyrin Abstract:

rings fused in a single direction and in which any two porphyrin rings adjacent to each other are fused by three covalent bonds, that is, one meso-meso carbon bond (i.e., one bond between meso-position carbon atoms) and two \$g(b)-\$g(b) carbon bonds (i.e., two bonds between \$g(b)-position carbon atoms adjacent to the mesoposition carbon atoms); a process for preparing the porphyrin ring-fusion polymer regioselectively by conducting the fusion reaction in an aromatic hydrocarbon solvent in the presence of a quinone and a Lewis acid containing a rare earth element under reflux; and fused-ring porphyrin compounds obtained by subjecting the prophyrin ring-fusion polymer to demetallization or replacement of the Zn atoms

by other metal atoms.

Designated CA, IL, US.

States:

European Patent Office (EPO) (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE,

Publication Language:

Japanese (JA)

Filing Language:

Japanese (JA)